

**MATERIAL SAFETY DATA SHEET**  
**BLACK EYELASH GLUE – SMART+**  
**(Only for beauty)**

**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

COMPANY NAME: O' CLAIR co.

ADDRESS: 1st floor, 168, Yonghyeon-ro, Uijeongbu-si, Gyeonggi-Do, Korea 480-861

PHONE: +82-70-7714-8851, FAX: +82-70-7805-1112

**2. COMPOSITION / INFORMATION ON INGREDIENTS**

No.	INCI NAME	CAS No.	% BY WEIGHT
1	ALKOXY-2-CYANOACRYLATE	21982-43-4	< 8%
2	ETHYL CYANOACRYLATE	7085-85-0	< 92%
3	PHTHALIC ANHYDRIDE	85-44-9	> 1%
4	CARBON BLACK	1333-86-4	> 1%

**3. HAZARDOUS IDENTIFICATION**

- Inhalation: Vapor can cause headache, nausea and irritation of the nose, throat and lungs.
- Eye: Contact with vapor or liquid may irritate the eyes.
- Skin: Slightly irritating to the skin.
- Ingestion: May cause pain, nausea and vomiting.

**4. FIRST AID MEASURES**

- Inhalation: Evacuate from further exposure. If unconsciousness occurs, seek immediate medical assistance and call a physician. If the breath has stopped, have artificial respiration. If breathing difficulty occurs, have oxygen inhalation.
- Eye Contact: Flush thoroughly with fresh water for at least 15 min. Get medical assistance immediately.
- Skin Contact: Remove contaminated clothing. Wash contact areas with soap and much water.
- Ingestion: Ingestion is not likely. See supplemental page for emergency procedures.
- Note to Physicians: None for this material.

**Get medical attention if symptoms persist**

**5. FIRE FIGHTING MEASURES**

- Flash Point: Above 95°C Method: Cleveland open cup. (Recommended)
- Extinguishing agents: Carbon dioxide, form, dry chemical.
- Special firefighting procedures: Not available  
\*Hazardous products formed by fire or thermal decomposition. Irritating organic fragments.
- Unusual fire or explosion hazards: None
- Explosive Limits (%by volume in air):
  - Lower: Not available
  - Upper: Not available

## 6. ACCIDENTAL RELEASE MEASURES

- Small Spills: Absorb spill with inert material (dry cloth, dry sand), then place in a chemical waste containers using non-sparking tools. Flush residual spill (area) with plenty of water.
- Large Spills: Dike for later disposal. Wash with plenty of water.

## 7. HANDLING AND STORAGE

- Handling Precautions:
  - Keep away from sources of ignition and heat. No smoking or flames in working area.
  - Take precautionary measures against static discharges.
  - Avoid contact with skin and eyes.
  - Wear proper protective equipment.
  - Use only in well-ventilated areas.
  - Use exhaust ventilation to keep air concentration below exposure limit.
  - Keep container tightly closed when not in use.
  - Install emergency showers and eyewash facility in working area.
- Storage Requirements:
  - Keep away from all possible source of ignition.
  - Store in a cool, dry, well-ventilated location.
  - Keep container tightly closed.
  - Keep away from combustible materials, heat, steam pipe or sunlight.
  - Keep away from oxidizing materials.
- Other Precautions:
  - Wash hands, face and gargle after work.
  - Practice good personal hygiene after using this material, especially before eating, drinking, smoking or using the rest room.
  - Keep out of reach of children.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Respiratory protection (Specify type): Chemical cartridge respirator with organic vapor
- Protective gloves: Polyethylene gloves. No rubber.
- Eye protection: Safety glasses face shield.
- Skin protection: Other protective clothing or equipment impervious clothing, apron and boots. Barrier creams, etc.

## 9. PHYSICAL AND CHEMICAL PROPERTES

- Appearance: Black liquid
- Odor: Odorless, irritating.
- Boiling point: Above 190°C
- Flash Point: 95°C
- Melting point: N/A
- Specific gravity (H<sub>2</sub>O =1): 0.9 ~ 1.1
- Vapor pressure (at 25°C): 1Pa
- Vapor density (Air =1): 4.9
- Evaporation rate (Butyl acetate =1): N/A
- Solubility in water: Insoluble (polymerized by water)

## 10. STABILITY AND REACTIVITY

- Condition to avoid: High humidity, high temperature or direct sunlight.
- Stability: Stable (cool and dry area.).
- Materials to avoid: Polymerized by contact with water, alcohols, amines, alkalies.
- Hazardous decomposition or byproducts: CO<sub>2</sub>, oxides and nitrogen and unknown hydrocarbons.



O'CLAIR co.

경기 의정부시 용현로 168, 1층  
Tel : 070-7714-8851 Fax : 070-7805-1112  
E-mail : oclairlash@gmail.com  
1st floor, 168, Yonghyoenro, Gyeonggido, South Korea 480-861  
Tel: +82-70-7714-8851, Fax: +82-70-7805-1112

**11. TOXICOLOGICAL INFORMATION**

No information available

**12. ECOLOGICAL INFORMATION**

No information available

**13. DISPOSAL CONSIDERATION**

- Waste disposal method: Don't pour drain. Follow domestic and local environmental regulations.
- Precautions to be taken in handling and storing: Avoid unnecessary exposure to air and moisture. Don't store above 25°C and in direct sunlight, keep container lids tightly closed.
- Other Precautions: Avoid contact with skin and eyes. Protect eyes, skin and clothing from contact with liquid product. Wear recommended equipment.

**14. TRANSPORT CONSIDERATION**

- Air: IATA Regulation
  - Proper shipping name: Unrestricted
  - Class or division: Unrestricted
  - UN or ID number: None
- Road: Should follow the packaging standard
- Sea: Should follow the packaging standard

**15. REGULATORY INFORMATION**

No information available

**16. OTHER INFORMATION**

Drawing up date: 2016.11.07

**NOTE:**

This information is furnished without warranty, express or implied, except that it is accurate the best knowledge of O'CLAIR co. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process. O'CLAIR co. assume no responsibility for use or reliance upon this information.

O'CLAIR CO.  
*James Kim*  
PRESIDENT : James Kim